

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Registration No.: AN 50713207 0001
Report No.: CN26Q2T9 001
Holder: Shenzhen Qiming Photovoltaic Technology Co., Ltd.
201, Building 10, No. 2-1,
Xiguangyue Third Road, Loucun Community,
Xinhu Street, Guangming District,
Shenzhen
518107 Guangdong
P.R. China
Product: PV Module

Type designation listed on the next page

This certificate of conformity is based on an evaluation of a sample of the above-mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive (EU) 2014/35, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

Date: 2026-01-27

Certification Body



Angela Yao



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Registration No.: AN 50713207 0001

Product: PV Module

Identification:

Type Designation

Max. System Voltage: Up to 1500 VDC (Voc at STC):
With 1/2 cut of mono c-Si cells (Under STC):

QM182NTHCD-xxx-78
(xxx=610-650, in steps of 5, 156 cells)
QM182NTHCD-xxx-72
(xxx=565-595, in steps of 5, 144 cells)
QM182NTHCD-xxx-60
(xxx=470-500, in steps of 5, 120 cells)
QM182NTHCDH-xxx-54
(xxx=425-450, in steps of 5, 108 cells)
QM182NTHCDQ-xxx-78
(xxx=615-650, in steps of 5, 156 cells)
QM182NTHCDZ-xxx-78
(xxx=615-650, in steps of 5, 156 cells)
QM182NTHCDQ-xxx-72
(xxx=570-595, in steps of 5, 144 cells)
QM182NTHCDZ-xxx-72
(xxx=570-595, in steps of 5, 144 cells)
QM182NTHCDQ-xxx-60
(xxx=475-500, in steps of 5, 120 cells)
QM182NTHCDZ-xxx-60
(xxx=475-500, in steps of 5, 120 cells)
QM182NTHCDQH-xxx-54
(xxx=425-450, in steps of 5, 108 cells)
QM182NTHCDZH-xxx-54
(xxx=425-450, in steps of 5, 108 cells)
QM188RTHCDH-xxx-54
(xxx=435-450, in steps of 5, 108 cells)
QM182NTHCDW-xxx-14
(xxx=105-110, in steps of 5, 28 cells)
QM182NTHCDW-xxx-8 (xxx=60, 16 cells)
QM182NTHCDW-xxx-4 (xxx=30, 8 cells)

QM182NTHCDCr-xxx-78
(xxx=350-375, in steps of 5, 156 cells)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Identification:

Type Designation

QM182NTHCDCo-xxx-78
(xxx=410-435, in steps of 5, 156 cells)
QM182NTHCDCy-xxx-78
(xxx=470-490, in steps of 5, 156 cells)
QM182NTHCDCg-xxx-78
(xxx=480-500, in steps of 5, 156 cells)
QM182NTHCDCb-xxx-78
(xxx=540-560, in steps of 5, 156 cells)
QM182NTHCDCi-xxx-78
(xxx=420-445, in steps of 5, 156 cells)
QM182NTHCDCp-xxx-78
(xxx=465-490, in steps of 5, 156 cells)
QM182NTHCDCr-xxx-72
(xxx=325-345, in steps of 5, 144 cells)
QM182NTHCDCo-xxx-72
(xxx=380-400, in steps of 5, 144 cells)
QM182NTHCDCy-xxx-72
(xxx=435-450, in steps of 5, 144 cells)
QM182NTHCDCg-xxx-72
(xxx=445-460, in steps of 5, 144 cells)
QM182NTHCDCb-xxx-72
(xxx=500-515, in steps of 5, 144 cells)
QM182NTHCDCi-xxx-72
(xxx=390-410, in steps of 5, 144 cells)
QM182NTHCDCp-xxx-72
(xxx=430-450, in steps of 5, 144 cells)
QM182NTHCDCr-xxx-60
(xxx=270-285, in steps of 5, 120 cells)
QM182NTHCDCo-xxx-60
(xxx=315-335, in steps of 5, 120 cells)
QM182NTHCDCy-xxx-60
(xxx=360-375, in steps of 5, 120 cells)
QM182NTHCDCg-xxx-60
(xxx=370-385, in steps of 5, 120 cells)
QM182NTHCDCb-xxx-60
(xxx=415-430, in steps of 5, 120 cells)
QM182NTHCDCi-xxx-60
(xxx=325-340, in steps of 5, 120 cells)
QM182NTHCDCp-xxx-60
(xxx=360-375, in steps of 5, 120 cells)
QM182NTHCDCr-xxx-54
(xxx=245-260, in steps of 5, 108 cells)
QM182NTHCDCo-xxx-54
(xxx=285-300, in steps of 5, 108 cells)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Identification:

Type Designation

QM182NTHCDCy-xxx-54
(xxx=325-340, in steps of 5, 108 cells)
QM182NTHCDCg-xxx-54
(xxx=335-345, in steps of 5, 108 cells)
QM182NTHCDCb-xxx-54
(xxx=375-385, in steps of 5, 108 cells)
QM182NTHCDCi-xxx-54
(xxx=290-305, in steps of 5, 108 cells)
QM182NTHCDCp-xxx-54
(xxx=320-340, in steps of 5, 108 cells)

QM210NTHCD-xxx-66
(xxx=695-725, in steps of 5, 132 cells)
QM210NTHCD-xxx-60
(xxx=630-655, in steps of 5, 120 cells)

QM210RTHCD-xxx-66
(xxx=605-630, in steps of 5, 132 cells)
QM210RTHCD-xxx-60
(xxx=550-570, in steps of 5, 120 cells)
QM210RTHCDH-xxx-54
(xxx=495-510, in steps of 5, 108 cells)
QM210RTHCDH-xxx-48
(xxx=440-455, in steps of 5, 96 cells)

QM210VTHCD-xxx-78
(xxx=725-740, in steps of 5, 156 cells)

With 1/2 cut of mono c-Si cells (Under BNPI):

QM182NTHCD-xxx-78
(xxx=675-715, in steps of 5, 156 cells)
QM182NTHCD-xxx-72
(xxx=625-655, in steps of 5, 144 cells)
QM182NTHCD-xxx-60
(xxx=520-550, in steps of 5, 120 cells)
QM182NTHCDH-xxx-54
(xxx=470-495, in steps of 5, 108 cells)
QM182NTHCDQ-xxx-78
(xxx=680-715, in steps of 5, 156 cells)
QM182NTHCDZ-xxx-78
(xxx=680-715, in steps of 5, 156 cells)
QM182NTHCDQ-xxx-72
(xxx=630-655, in steps of 5, 144 cells)
QM182NTHCDZ-xxx-72



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Identification:

Type Designation

(xxx=630-655, in steps of 5, 144 cells)

QM182NTHCDQ-xxx-60

(xxx=525-550, in steps of 5, 120 cells)

QM182NTHCDZ-xxx-60

(xxx=525-550, in steps of 5, 120 cells)

QM182NTHCDQH-xxx-54

(xxx=470-495, in steps of 5, 108 cells)

QM182NTHCDZH-xxx-54

(xxx=470-495, in steps of 5, 108 cells)

QM188RTHCDH-xxx-54

(xxx=481,486,492,497, 108 cells)

QM182NTHCDW-xxx-14

(xxx=115-120, in steps of 5, 28 cells)

QM182NTHCDW-xxx-8 (xxx=68, 16 cells)

QM182NTHCDW-xxx-4 (xxx=35, 8 cells)

QM182NTHCDCr-xxx-78

(xxx=390-415, in steps of 5, 156 cells)

QM182NTHCDCo-xxx-78

(xxx=460-485, in steps of 5, 156 cells)

QM182NTHCDCy-xxx-78

(xxx=520-540, in steps of 5, 156 cells)

QM182NTHCDCg-xxx-78

(xxx=530-550, in steps of 5, 156 cells)

QM182NTHCDCb-xxx-78

(xxx=590-610, in steps of 5, 156 cells)

QM182NTHCDCi-xxx-78

(xxx=470-495, in steps of 5, 156 cells)

QM182NTHCDCp-xxx-78

(xxx=515-540, in steps of 5, 156 cells)

QM182NTHCDCr-xxx-72

(xxx=360-380, in steps of 5, 144 cells)

QM182NTHCDCo-xxx-72

(xxx=425-445, in steps of 5, 144 cells)

QM182NTHCDCy-xxx-72

(xxx=475-490, in steps of 5, 144 cells)

QM182NTHCDCg-xxx-72

(xxx=485-500, in steps of 5, 144 cells)

QM182NTHCDCb-xxx-72

(xxx=545-560, in steps of 5, 144 cells)

QM182NTHCDCi-xxx-72

(xxx=435-455, in steps of 5, 144 cells)

QM182NTHCDCp-xxx-72

(xxx=470-490, in steps of 5, 144 cells)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Identification:

Type Designation

QM182NTHCDCr-xxx-60
(xxx=300-315, in steps of 5, 120 cells)
QM182NTHCDCo-xxx-60
(xxx=355-375, in steps of 5, 120 cells)
QM182NTHCDCy-xxx-60
(xxx=395-410, in steps of 5, 120 cells)
QM182NTHCDCg-xxx-60
(xxx=405-420, in steps of 5, 120 cells)
QM182NTHCDCb-xxx-60
(xxx=455-470, in steps of 5, 120 cells)
QM182NTHCDCi-xxx-60
(xxx=365-380, in steps of 5, 120 cells)
QM182NTHCDCp-xxx-60
(xxx=395-410, in steps of 5, 120 cells)
QM182NTHCDCr-xxx-54
(xxx=275-290, in steps of 5, 108 cells)
QM182NTHCDCo-xxx-54
(xxx=315-330, in steps of 5, 108 cells)
QM182NTHCDCy-xxx-54
(xxx=360-375, in steps of 5, 108 cells)
QM182NTHCDCg-xxx-54
(xxx=370-380, in steps of 5, 108 cells)
QM182NTHCDCb-xxx-54
(xxx=410-420, in steps of 5, 108 cells)
QM182NTHCDCi-xxx-54
(xxx=320-335, in steps of 5, 108 cells)
QM182NTHCDCp-xxx-54
(xxx=355-375, in steps of 5, 108 cells)

QM210NTHCD-xxx-66
(xxx=770-800, in steps of 5, 132cells)
QM210NTHCD-xxx-60
(xxx=690-715, in steps of 5, 120 cells)
QM210RTHCD-xxx-66
(xxx=670-695, in steps of 5, 132 cells)
QM210RTHCD-xxx-60
(xxx=605-625, in steps of 5, 120 cells)
QM210RTHCDH-xxx-54
(xxx=545-560, in steps of 5, 108 cells)
QM210RTHCDH-xxx-48
(xxx=485-500, in steps of 5, 96 cells)

QM210VTHCD-xxx-78
(xxx=801,808,814,818, 156 cells)



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Identification:

Type Designation

xxx represents output power in Wp

Remarks:

Valid in conjunction with TÜV Rheinland certificate
PV 50713205 0001.



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.